

APOne Limited

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :

Paper II Medical Science General Medicine
General Surgery

Subject Name :

Paper II Medical Science General Medicine
General Surgery

Actual Answer Key :

Yes

Calculator :

None

Magnifying Glass Required? :

No

Ruler Required? :

No

Eraser Required? :

No

Scratch Pad Required? :

No

Rough Sketch/Notepad Required? :

No

Protractor Required? :

No

Show Watermark on Console? :

Yes

Highlighter :

No

Auto Save on Console?

Yes

Change Font Color :

No

Change Background Color :

No

Change Theme :

No

Help Button :

No

Show Reports :

No

Show Progress Bar :

No

Is this Group for Examiner? :

No

Examiner permission :

Cant View

Show Progress Bar? :

No

Paper II Medical Science General Medicine General Surgery

Section type :

Online

Section Negative Marks :

0.66

**Enable Mark as Answered Mark for Review and
Clear Response :**

Yes

Maximum Instruction Time :

0

Is Section Default? :

null

Question Number : 1 Question Id : 630680391210 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which of the following structures separates the lung into lobes?

Options :

1. ✓ Fissures

2. ✗ Root

3. ✗ Mediastinum

4. ✗ Pleura

Question Number : 2 Question Id : 630680391211 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Match the following.

A. Respiration	1) Energy is released
B. Breathing	2) Between alveoli and blood
C. Cellular respiration	3) Taking on and releasing CO_2
D. Gaseous changes at lungs level	4) Air moves In and out of lungs

Options :

1. ✖ A – 4; B – 3; C – 1; D – 2

2. ✔ A – 3; B – 4; C – 1; D – 2

3. ✖ A – 4; B – 1; C – 3; D – 2

4. ✖ A – 2; B – 3; C – 1; D – 4

Question Number : 3 Question Id : 630680391212 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: Muscle is one of the four primary tissue types of the body, and the body contains three types of muscle tissue: skeletal muscle, cardiac muscle, and smooth muscle. All three muscle tissues have some properties in common.

Reason: they all exhibit a quality called excitability as their plasma membranes can change their electrical states (from polarized to depolarized) and send an electrical wave called an action potential along the entire length of the membrane.

Options :

1. ✖ Assertion is TRUE and Reason is FALSE

2. ✖ Assertion is FALSE and Reason is TRUE

3. ✖ Both Assertion and Reason are FALSE

4. ✔ Both Assertion and Reason are TRUE

Question Number : 4 Question Id : 630680391213 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which arteries are bilateral pair of vascular structures that branch directly from the abdominal aorta?

Options :

1. ✖ Torso arteries
2. ✔ Testicular arteries
3. ✖ Abdomen arteries
4. ✖ Elastic arteries

Question Number : 5 Question Id : 630680391214 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which layer is rather thin and mainly participates in the sealing of the tubes and the separation of the endometrium during the menstrual cycle.

Options :

1. ✔ Subvascular layer
2. ✖ Vascular layer
3. ✖ Supravascular layer
4. ✖ Basal layer

Question Number : 6 Question Id : 630680391215 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Match the following.

A. Pelvis	1) Distal parts of the urinary system
B. Viscera	2) Part of the lesser pelvis that contains the external genitalia
C. Perineum	3) Ischial spine
D. Coccygeus origin	4) Trunk region between the abdomen and the lower limb

Options :

1. ✓ A – 4; B – 1; C – 2; D – 3

2. ✗ A – 2; B – 1; C – 4; D – 3

3. ✗ A – 3; B – 1; C – 2; D – 4

4. ✗ A – 1; B – 2; C – 4; D – 3

Question Number : 7 Question Id : 630680391216 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which plane divides the body or an organ vertically into right and left sides?

Options :

1. ✓ Sagittal plane

2. ✗ Frontal plane

3. ✗ Transverse plane

4. ✗ Medial plane

Question Number : 8 Question Id : 630680391217 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

In the embryo what is the first kidney system to develop?

Options :

1.

✖ Mesonephros

2. ✖ Metanephros

3. ✔ Pronephros

4. ✖ Urogenital tubules

Question Number : 9 Question Id : 630680391218 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which of the following components of the kidney is derived from ureteric bud?

Options :

1. ✖ Bowman's capsule

2. ✖ Loop of Henle

3. ✖ Distal convoluted tubule

4. ✔ Collecting duct

Question Number : 10 Question Id : 630680391219 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which retinal fibres are present in the left optic tract?

Options :

1. ✖ Left temporal and left nasal

2. ✔ Left temporal and right nasal

3. ✖ Right temporal and right nasal

4. ✖ Right temporal and left nasal

Question Number : 11 Question Id : 630680391220 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

What surrounds the optic nerve?

Options :

1. ✖ Perineurium
2. ✖ Epineurium
3. ✖ Endoneurium
4. ✔ Cranial meninges

Question Number : 12 Question Id : 630680391221 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Testosterone is secreted by:

Options :

1. ✖ Sertoli cells
2. ✔ Leydig cells
3. ✖ Germ cells
4. ✖ Seminal vesicles

Question Number : 13 Question Id : 630680391222 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

What is true about the "muscularisexterna"?

Options :

1. ✔ It is responsible for peristalsis
2. ✖ It secretes mucus.

3. ✖ It refers to superficial skeletal muscles.

4. ✖ It is composed of connective tissue.

Question Number : 14 Question Id : 630680391223 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Appendix is present in which quadrant?

Options :

1. ✖ Right Upper quadrant

2. ✖ Left Upper quadrant

3. ✔ Right Lower quadrant

4. ✖ Left Lower quadrant

Question Number : 15 Question Id : 630680391224 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Autonomic nervous system controls following vital functions EXCEPT -

Options :

1. ✖ Heartbeat

2. ✖ Digestion

3. ✖ Breathing

4. ✔ Voluntary control of body movements

Question Number : 16 Question Id : 630680391225 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Neurons communicate with one another at junctions called ____.

Options :

1. ✖ Postsynaptic membranes
2. ✖ Presynaptic membranes
3. ✔ Synapses
4. ✖ Juxtapositions

Question Number : 17 Question Id : 630680391226 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Cerebellum receives input from the following areas of nervous system EXCEPT -

Options :

1. ✖ The cerebrum
2. ✔ Hippocampus
3. ✖ Brain Stem
4. ✖ Spinal cord

Question Number : 18 Question Id : 630680391227 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

A patient with A^{-ve} blood group can receive blood from:

Options :

1. ✔ A negative donor
2. ✖ AB positive donor
3. ✖ B negative donor
4. ✖ Positive donor

**Question Number : 19 Question Id : 630680391228 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: In EEG rhythm Theta has a frequency of 3.5 to 7.5 Hz and is classified as "slow" activity.
Reason: It is normal as the dominant rhythm in infants up to one year and in stages 3 and 4 of sleep

Options :

1. ✓ Both Assertion and Reason are TRUE but Reason is not a correct explanation for Assertion
2. ✗ Assertion is TRUE and Reason is FALSE
3. ✗ Both Assertion and Reason are TRUE and Reason is a correct explanation for Assertion
4. ✗ Assertion is FALSE and Reason is TRUE

**Question Number : 20 Question Id : 630680391229 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

Sleep disorder which is associated with REM (Rapid Eye Movement) sleep is:

Options :

1. ✗ Nocturnal enuresis
2. ✗ Nightmares
3. ✗ Somnambulism
4. ✓ Bruxism

**Question Number : 21 Question Id : 630680391230 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

The term 'myopia' refers to ____.

Options :

1. ✓ Near sightedness
2. ✗ Far sightedness
3. ✗ Constriction of the pupil
4. ✗ Dilation of the pupil

**Question Number : 22 Question Id : 630680391231 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

A molecule released by a cell or a gland in one part of the body that sends out messages affecting cells in other parts of the organism is called as ____.

Options :

1. ✗ Enzymes
2. ✗ Neurotransmitter
3. ✓ Hormone
4. ✗ Second messengers

**Question Number : 23 Question Id : 630680391232 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Match the following, the hormones and their functions.

A. Growth Hormone (GH)	1) Increases synthesis of corticosteroids by the adrenal cortex
B. Adrenocorticotrophic hormone (ACTH)	2) Causes “Antidiuresis.”
C. Melanocyte-stimulating Hormone (MSH)	3) increases DNA and RNA synthesis
D. Vasopressin	4) darkens the skin and is involved in skin pigmentation

Options :

1. ✓ A – 3; B – 1; C - 4; D – 2
2. ✗ A – 1; B – 3; C - 4; D – 2
3. ✗ A – 2; B – 4; C - 3; D – 1
4. ✗ A – 4; B – 1; C - 3; D – 2

**Question Number : 24 Question Id : 630680391233 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

P wave in ECG represents depolarization of:

Options :

1. ✗ SA Node
2. ✓ Atrial
3. ✗ AV Node
4. ✗ His Bundle

**Question Number : 25 Question Id : 630680391234 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

In the digestion of food molecules, the process known as “hydrolysis” involves an enzyme and

what else?

Options :

1. ✓ Splitting a molecule into two smaller molecules using a water molecule
2. ✗ Splitting a molecule into two smaller molecules using hydrogen
3. ✗ The metabolism of glucose to produce water and energy
4. ✗ Splitting of triglycerols into molecules that are soluble in water

Question Number : 26 Question Id : 630680391235 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: The glomerulus is a meshy network of capillaries at the start of the nephron in our kidneys. They are the first step in blood filtration, as substances can go through the capillary endothelial cells, basement membrane, and finally podocytes into Bowman's Capsule to be filtered outside the body.

Reason: This filtration process relays on size-dependent permeability. Meaning that small molecules can pass while large molecules can't.

Options :

1. ✗ Both Assertion and Reason are TRUE but Reason is not a correct explanation for Assertion
2. ✗ Assertion is TRUE and Reason is FALSE
3. ✓ Both Assertion and Reason are TRUE and Reason is a correct explanation for Assertion
4. ✗ Assertion is FALSE and Reason is TRUE

Question Number : 27 Question Id : 630680391236 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

If the glomerular filtration rate is too high, the macula densa sends a message to the afferent

arteriole. What is the effect of this message?

Options :

1. ✖ Granular cells of arteriole walls release renin.
2. ✖ Afferent arteriole dilates.
3. ✖ It inhibits the action of ATP and adenosine on the afferent arteriole.
4. ✔ Afferent arteriole constricts.

Question Number : 28 Question Id : 630680391237 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

As the pKa of an acid increases, the acid will be:

Options :

1. ✔ More weaker
2. ✖ More Stronger
3. ✖ Converted to neutral solution
4. ✖ Converted basic solution

Question Number : 29 Question Id : 630680391238 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Match the enzyme with their respective functions.

A. Lipase	1) also found in saliva; breaks the sugar maltose into glucose
B. Amylase	2) found in the small intestine, breaks proteins down into amino acids.
C. Maltase	3) a group of enzymes that help digest fats in the gut.
D. Trypsin	4) helps change starches into sugars

Options :

1. ✓ A - 3; B - 4; C - 1; D - 2

2. ✗ A - 1; B - 3; C - 4; D - 2

3. ✗ A - 2; B - 4; C - 3; D - 1

4. ✗ A - 4; B - 1; C - 3; D - 2

Question Number : 30 Question Id : 630680391239 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Catalytic RNA molecules are called?

Options :

1. ✗ Carbohydrate

2. ✗ Lipid

3. ✓ Ribozymes

4. ✗ Chromosome

Question Number : 31 Question Id : 630680391240 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which bond is energetically very high whose hydrolysis release 61KJ/mole?

Options :

1. ✓ Enol phosphatic bond

2. ✗ Acyl phosphatic bond

3. ✗ Guanidine phosphate

4. ✗ Thioester bond

Question Number : 32 Question Id : 630680391241 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The bacteria composed single chromosomes having a single copy of the gene known as ____.

Options :

1. ✖ Diploid
2. ✔ Haploid
3. ✖ Monoploid
4. ✖ Polyploidy

Question Number : 33 Question Id : 630680391242 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which nutrient is Part of an enzyme needed for energy metabolism; important to nerve function?

Options :

1. ✔ Thiamine (vitamin B1)
2. ✖ Riboflavin (vitamin B2)
3. ✖ Ascorbic acid (vitamin C)
4. ✖ Pyridoxine (vitamin B6)

Question Number : 34 Question Id : 630680391243 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which of the following nitrogenous bases are Purines?

Options :

1. ✖ Guanine and Cytosine
2. ✖ Thymine and Adenine

3. ✓ Adenine and Guanine

4. ✗ Cytosine and Adenine

Question Number : 35 Question Id : 630680391244 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Trace elements (or trace minerals) are usually defined as minerals that are required in amounts between ____ by adults.

Options :

1. ✓ 1 - 100 mg/day

2. ✗ 50 - 75 mg/day

3. ✗ 1 - 50 mg/day

4. ✗ 100 - 150 mg/day

Question Number : 36 Question Id : 630680391245 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Match the ABG component with Adult Normal values.

A. pH	1) 35-45 mmHg
B. PaO ₂	2) 7.35-7.45
C. PaCO ₂	3) 22-26 mEq/L
D. HCO ₃	4) 80-100 mmHg

Options :

1. ✓ A - 2; B - 4; C - 1; D - 3

2. ✗ A - 1; B - 3; C - 4; D - 2

3. ✗ A - 2; B - 4; C - 3; D - 1

4. ✖ A – 4; B – 1; C - 3; D – 2

**Question Number : 37 Question Id : 630680391246 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

What happens when you don't have enough red blood cells to carry oxygen from your lungs to other tissues?

Options :

1. ✖ Hypoxemic hypoxia

2. ✖ Histotoxic hypoxia

3. ✖ Circulatory hypoxia

4. ✔ Anemic hypoxia

**Question Number : 38 Question Id : 630680391247 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Vasodilation occurs through release of mediators from cells. These mediators include EXCEPT -

Options :

1. ✖ Nitric oxide (NO)

2. ✔ Endothelin

3. ✖ Prostacyclin (PGI₂)

4. ✖ Histamine

**Question Number : 39 Question Id : 630680391248 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Which grade it is if the cancer cells present with a higher degree of abnormality and the growth is

more rapid?

Options :

1. ✖ Grade 1

2. ✔ Grade 2

3. ✖ Grade 3

4. ✖ Grade 4

Question Number : 40 Question Id : 630680391249 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most common site of metastasis of colon cancer is _____.

Options :

1. ✔ Liver

2. ✖ Skin

3. ✖ Kidney

4. ✖ Bones

Question Number : 41 Question Id : 630680391250 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: Most genetic disorders do not have a cure

Reason: Many genetic disorders result from gene changes that are present in essentially every cell in the body. As a result, these disorders often affect many body systems, and most cannot be cured.

Options :

1. ✖ Both Assertion and Reason are TRUE but Reason is not a correct explanation for Assertion
2. ✖ Assertion is TRUE and Reason is FALSE
3. ✔ Both Assertion and Reason are TRUE and Reason is a correct explanation for Assertion
4. ✖ Assertion is FALSE and Reason is TRUE

**Question Number : 42 Question Id : 630680391251 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

The process by which one bacterium transfers genetic material to another through direct contact is called as _____.

Options :

1. ✖ Transformation
2. ✔ Conjugation
3. ✖ Recombination
4. ✖ Transduction

**Question Number : 43 Question Id : 630680391252 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is a Single Gene Genetic disease?

Options :

1. ✔ Sickle cell anaemia
2. ✖ Diabetes
3. ✖ Alzheimer's disease
4. ✖ Hypertension

Question Number : 44 Question Id : 630680391253 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Streptococci and Staphylococci could lead to?

Options :

1. ✖ UTI
2. ✖ Acute rheumatic fever
3. ✔ Toxic shock syndrome
4. ✖ Laryngeal cancer

Question Number : 45 Question Id : 630680391254 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Scalded skin syndrome is caused by _____.

Options :

1. ✔ Staphylococci
2. ✖ Gonococci
3. ✖ Enterococci
4. ✖ Klebsiella

Question Number : 46 Question Id : 630680391255 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following types of ulcer are classified as peptic ulcer EXCEPT -

Options :

1. ✖ Gastric ulcer
2. ✖ Duodenal ulcer

3. ✖ Esophageal ulcer

4. ✔ Venous ulcer

Question Number : 47 Question Id : 630680391256 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Following are the respiratory diseases that can be transmitted from animals to humans EXCEPT -

Options :

1. ✔ Candidiasis

2. ✖ Brucellosis

3. ✖ Tularemia

4. ✖ Anthrax

Question Number : 48 Question Id : 630680391257 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Osteomyelitis is mostly caused by _____.

Options :

1. ✖ Escherichia coli (E. coli)

2. ✖ Streptococcus pneumoniae

3. ✖ Spirillumvolutans

4. ✔ Staphylococcus bacteria

Question Number : 49 Question Id : 630680391258 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Member of a family flavivirus is _____.

Options :

1. ✖ Hepatitis E Virus (HEV)
2. ✖ Human Immunodeficiency Virus (HIV)
3. ✔ Hepatitis C Virus (HCV)
4. ✖ Hepatitis Delta Virus (HDV)

**Question Number : 50 Question Id : 630680391259 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Paracentesis refers to the collection of fluid samples from the:

Options :

1. ✔ Abdomen
2. ✖ Liver
3. ✖ Pancreas
4. ✖ Heart

**Question Number : 51 Question Id : 630680391260 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

In bacterial growth, the growth rate slowed down due to toxic products or depletion of nutrients the resulting phase is known as _____.

Options :

1. ✖ Lag phase
2. ✖ Log phase
3. ✔ Stationary phase

4. ✖ Death phase

Question Number : 52 Question Id : 630680391261 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: Autoclave is used in dry heat sterilization?

Reason: Dry heat sterilization is used on equipment that cannot be wet and on material that will not melt, catch fire, or change form when exposed to high temperatures

Options :

1. ✖ Both Assertion and Reason are TRUE but Reason is not a correct explanation for Assertion
2. ✖ Assertion is TRUE and Reason is FALSE
3. ✖ Both Assertion and Reason are TRUE and Reason is a correct explanation for Assertion
4. ✔ Assertion is FALSE and Reason is TRUE

Question Number : 53 Question Id : 630680391262 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which type of hypersensitivity, often called delayed-type hypersensitivity?

Options :

1. ✖ Type 1
2. ✖ Type 2
3. ✖ Type 3
4. ✔ Type 4

Question Number : 54 Question Id : 630680391263 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Dengue virus is the member of a family called _____.

Options :

1. ✖ Hepadnavirus

2. ✖ Parvovirus

3. ✔ Flaviviruses

4. ✖ Picornavirus

Question Number : 55 Question Id : 630680391264 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Shigella infection is an _____.

Options :

1. ✖ Skin infection

2. ✖ Meningitis

3. ✔ Intestinal infection

4. ✖ Urinary tract Infection

Question Number : 56 Question Id : 630680391265 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Following are the disease caused by Herpes Simplex virus EXCEPT -

Options :

1. ✖ Mucocutaneous infection

2. ✖ Ocular infection

3. ✖ Central nervous system infection

4. ✔ Jaundice

Question Number : 57 Question Id : 630680391266 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Following are the test done to diagnose HIV, EXCEPT -

Options :

1. ✖ Antibody test

2. ✖ Antigen

3. ✖ Nucleic Acid test

4. ✔ Viral test

Question Number : 58 Question Id : 630680391267 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

An approved drug for hepatitis B in adults known as _____.

Options :

1. ✔ Entecavir

2. ✖ Delavirdine

3. ✖ Tenofovir

4. ✖ Efavirenz

Question Number : 59 Question Id : 630680391268 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Following are the Pilocarpine side effects EXCEPT -

Options :

1. ✖ shortness of breath
2. ✖ confusion, tremors
3. ✖ nausea, vomiting, diarrhea
4. ✔ Cold extremities

**Question Number : 60 Question Id : 630680391269 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Match the following drugs and their type?

A. Metronidazole	1) Non-steroidal anti-inflammatory drug
B. Ibuprofen	2)Antimalarial
C. Chloroquine	3) Diuretic
D. Furosemide	4) Antibiotic

Options :

1. ✔ A – 4; B – 1; C - 2; D – 3
2. ✖ A – 1; B – 3; C - 4; D – 2
3. ✖ A – 2; B – 4; C - 3; D – 1
4. ✖ A – 4; B – 1; C - 3; D – 2

**Question Number : 61 Question Id : 630680391270 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Following are the antibiotic drugs EXCEPT -

Options :

- 1.

✖ Ampicillin

2. ✔ Terfenadine

3. ✖ Cephalexin

4. ✖ Doxycycline

Question Number : 62 Question Id : 630680391271 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The drug which is used to treat or prevent tuberculosis (TB) is ____.

Options :

1. ✖ Chloramphenicol

2. ✖ Cefotaxime

3. ✔ Rifampicin

4. ✖ Riboflavin

Question Number : 63 Question Id : 630680391272 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Medicine used in the treatment of breast cancer is ____.

Options :

1. ✖ Methotrexate

2. ✖ benazepril

3. ✖ Carbocisteine

4. ✔ Tamoxifen

Question Number : 64 Question Id : 630680391273 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Below are the general anesthetics agents EXCEPT -

Options :

1. ✖ Barbiturate Anesthetics
2. ✔ Amides
3. ✖ Anesthetic Gasses
4. ✖ Volatile Liquids

Question Number : 65 Question Id : 630680391274 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Below are the Central Nervous system disorders EXCEPT -

Options :

1. ✖ Seizures and Epilepsy
2. ✖ Cerebrovascular disease
3. ✔ Celiac disease
4. ✖ Alzheimer's disease

Question Number : 66 Question Id : 630680391275 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

When both the brain and the spinal cord are involved, the condition is called ____.

Options :

1. ✔ Encephalomyelitis
2. ✖ Neoplasms

3. ✖ epilepsy

4. ✖ Meningitis

**Question Number : 67 Question Id : 630680391276 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Abnormality which refers to a hole in the heart between the upper chambers (atria) is known as _____.

Options :

1. ✖ Congenital mitral valve anomalies

2. ✔ Atrial septal defect

3. ✖ Coarctation of the aorta

4. ✖ Pulmonary valve stenosis

**Question Number : 68 Question Id : 630680391277 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Following are the medicines to treat high blood pressure EXCEPT -

Options :

1. ✖ Angiotensin 2 receptor blockers (ARBs)

2. ✔ Ketoprofen

3. ✖ Beta blockers

4. ✖ Diuretics

**Question Number : 69 Question Id : 630680391278 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

In industries lead poisoning commonly occurs by ____.

Options :

1. ✖ Skin absorption
2. ✔ Inhalation
3. ✖ Ingestion
4. ✖ Conjunctival route

Question Number : 70 Question Id : 630680391279 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The commonest renal disease associated with myeloma ____.

Options :

1. ✖ Nephrotic syndrome
2. ✖ Fanconi syndrome
3. ✔ cast nephropathy
4. ✖ Acute Kidney tubular necrosis

Question Number : 71 Question Id : 630680391280 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

What is pyelonephritis?

Options :

1. ✔ Inflammation of renal pelvis
2. ✖ Bursitis
3. ✖ Inflammation of pancreatitis

4. ✖ Cholecystitis

Question Number : 72 Question Id : 630680391281 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

What is Wilson's disease?

Options :

1. ✖ A condition that causes iron buildup in the body.
2. ✖ A condition in which fat accumulates in the liver.
3. ✔ A condition in which copper accumulates in the liver.
4. ✖ Alpha-1 antitrypsin deficiency.

Question Number : 73 Question Id : 630680391282 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Following are the causes of malabsorption EXCEPT -

Options :

1. ✖ Chronic pancreatitis
2. ✖ Celiac disease
3. ✖ Whipple disease
4. ✔ Wilson's disease

Question Number : 74 Question Id : 630680391283 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The type of anemia that develops when bone marrow stem cells become ineffective is _____.

Options :

1. ✖ Megaloblastic anemia

2. ✖ Pernicious anemia

3. ✔ Aplastic anemia

4. ✖ Macrocytic anemia

Question Number : 75 Question Id : 630680391284 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The adenohypophysis is derived from _____.

Options :

1. ✖ ectoderm

2. ✔ Anterior lobe of the pituitary gland

3. ✖ Neuroendoderm

4. ✖ Neuroectoderm

Question Number : 76 Question Id : 630680391285 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

If an individual presents with scaly rashes typically seen as "Fir tree" pattern in trunk, that is well defined, small erythematous plaques and collarette of scale, associated with Herald patch, then the most likely diagnosis will be _____.

Options :

1. ✖ Atopic eczema

2. ✖ Psoriasis

3. ✔ Pityriasis rosea

4. ✖ Drug eruption

**Question Number : 77 Question Id : 630680391286 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

Match the following.

I. Type I Hypersensitivity Reaction	a. Hemolytic Disease of Newborn
II. Type II Hypersensitivity Reaction	b. Mantoux test for TB
III. Type III Hypersensitivity Reaction	c. Penicillin induced anaphylaxis
IV. Type IV Hypersensitivity Reaction	d. Drug induced serum sickness

Options :

1. ✖ I - a; II - b; III - c; IV - d
2. ✖ I - d; II - c; III - b; IV - a
3. ✔ I - c; II - a; III - d; IV - b
4. ✖ I - b; II - c; III - a; IV - d

**Question Number : 78 Question Id : 630680391287 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

All of the following are examples of Exogenous ECZEMA EXCEPT -

Options :

1. ✖ Irritant
2. ✖ Allergic
3. ✔ Atopic
4. ✖ Chronic actinic dermatitis

**Question Number : 79 Question Id : 630680391288 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

A young individual presenting with visual hallucinations, impaired consciousness and loss of orientation along with other symptoms of schizophrenia is most likely to suffer from:

Options :

1. ✓ Delirium
2. ✗ Dementia
3. ✗ Huntington's disease
4. ✗ Delusional disorders

Question Number : 80 Question Id : 630680391289 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The duration of the erythrocytic cycle for Plasmodium Malariae is about ____.

Options :

1. ✗ 24 hours
2. ✗ 48 hours
3. ✓ 72 hours
4. ✗ 7 days

Question Number : 81 Question Id : 630680391290 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is a sophisticated measure of malaria incidence in a community?

Options :

1. ✓ Annual parasite incidence (API)
2. ✗ Annual Blood examination rate (ABER)
- 3.

✖ Annual falciparum incidence (AFI)

4. ✖ Slide positivity rate (SPR)

Question Number : 82 Question Id : 630680391291 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

According to WHO clinical staging of HIV disease in adults, patients who are asymptomatic and presenting with persistent generalized lymphadenopathy comes under ____.

Options :

1. ✔ Clinical stage 1

2. ✖ Clinical stage 2

3. ✖ Clinical stage 3

4. ✖ Clinical stage 4

Question Number : 83 Question Id : 630680391292 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The test that is most widely used as a predictor of HIV progression is ____.

Options :

1. ✖ ELISA

2. ✖ Western Blot

3. ✖ Complete Hemogram

4. ✔ Absolute CD₄ lymphocyte count

Question Number : 84 Question Id : 630680391293 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

According to the classification system of Ridley and Jopling, if a leprosy case presents with one or two well defined lesions, which may be flat or raised, hypopigmented or erythematous and bacteriologically negative, then it belongs to :

Options :

1. ✖ Indeterminate type
2. ✔ Tuberculoid type
3. ✖ Borderline type
4. ✖ Lepromatous type

Question Number : 85 Question Id : 630680391294 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: Man is the only reservoir for Amoebiasis caused by Entamoeba Histolytica

Reason: Amoebiasis is mainly transmitted by trophozoites that remain viable in water, faeces, sewage and soil

Options :

1. ✖ Assertion is FALSE and Reason is TRUE
2. ✖ Both Assertion and Reason are TRUE and Reason is correct explanation for Assertion
3. ✔ Assertion is TRUE and Reason is FALSE
4. ✖ Both Assertion and Reason are FALSE

Question Number : 86 Question Id : 630680391295 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Among the following food sources the Retinol Equivalent (RE) is maximum in ____.

Options :

1. ✖ Butter
2. ✖ Liver, Ox
3. ✖ Cod liver oil
4. ✔ Halibut liver oil

Question Number : 87 Question Id : 630680391296 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is an example for monounsaturated fatty acid (MUFA)?

Options :

1. ✖ Palmitic acid
2. ✔ Oleic acid
3. ✖ Linoleic acid
4. ✖ Stearic acid

Question Number : 88 Question Id : 630680391297 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The condition associated with high risk of malignant transformation among the following is ____.

Options :

1. ✖ Oral submucosal fibrosis
2. ✖ Oral lichen planus
3. ✖ Discoid lupus erythematosus
4. ✔ Homogenous Erythroplakia

Question Number : 89 Question Id : 630680391298 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most common tumour of the parotid gland is _____.

Options :

1. ✓ Pleomorphic adenoma
2. ✗ Warthin's tumour
3. ✗ Adenocarcinoma
4. ✗ Squamous cell carcinoma

Question Number : 90 Question Id : 630680391299 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

In case of LERICHE'S SYNDROME claudication is mostly localized in _____.

Options :

1. ✗ Calf
2. ✗ Thigh
3. ✓ Buttock
4. ✗ Dorsum of foot

Question Number : 91 Question Id : 630680391300 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

If a patient complains of unilateral claudication in the calf and presents with palpable femoral pulse and absent unilateral distal pulses, then the most probable site of arterial obstruction is _____.

Options :

- 1.

✘ Aorta iliac obstruction

2. ✘ Iliac obstruction

3. ✔ Femoropopliteal obstruction

4. ✘ Distal obstruction

Question Number : 92 Question Id : 630680391301 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most frequent life – threatening complication of thyroidectomy is ____.

Options :

1. ✔ Hemorrhage

2. ✘ Recurrent laryngeal N paralysis

3. ✘ Thyroid insufficiency

4. ✘ Parathyroid insufficiency

Question Number : 93 Question Id : 630680391302 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: Iodine may be given with carbimazole or a Betablocker for 10 days before operation

Reason: Iodine alone produces a transient remission and may reduce vascularity, thereby improving safety

Options :

1. ✘ Both Assertion and Reason are FALSE

2. ✔ Both Assertion and Reason are TRUE and Reason is correct explanation for Assertion

3. ✘ Assertion is TRUE but Reason is FALSE

4. ✖ Assertion is FALSE but Reason is TRUE

Question Number : 94 Question Id : 630680391303 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Which among the following are the tumours of parafollicular (C cells) derived from the neural crest, rather than the cells of the thyroid follicle?

Options :

1. ✖ Papillary carcinoma

2. ✖ Follicular carcinoma

3. ✖ Anaplastic carcinoma

4. ✔ Medullary carcinoma

Question Number : 95 Question Id : 630680391304 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most prevalent incidentaloma (adrenal mass) discovered during autopsy is ____.

Options :

1. ✔ Nonfunctioning adenoma

2. ✖ Cushing's adenoma

3. ✖ Adrenocortical carcinoma

4. ✖ Pheochromocytoma

Question Number : 96 Question Id : 630680391305 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

A young 26-year-old with an adrenal mass presents with paroxysmal hypertension, headache,

palpitations and sweating. 24-hour urine collection analysis shows excess metanephrine levels. The most probable diagnosis is _____.

Options :

1. ✖ Conn's syndrome
2. ✖ Cushing's adenoma
3. ✔ Phaeochromocytoma
4. ✖ Adrenocortical carcinoma

Question Number : 97 Question Id : 630680391306 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following are characteristics of Parathyroid carcinoma EXCEPT -

Options :

1. ✖ Accounts for approximately 1% of all cases of primary hyperparathyroidism
2. ✔ The tumour can be easily diagnosed preoperatively with the help of Biochemical parameters
3. ✖ A history of previous neck irradiation remains the only known environmental risk factor
4. ✖ Treatment is focused on controlling hypercalcemia and removal of the carcinoma where possible

Question Number : 98 Question Id : 630680391307 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most frequently involved BONE in case of Skeletal metastases of Breast cancer via blood stream is _____.

Options :

1. ✔ Lumbar vertebrae
2. ✖ Femur

3. ✖ Thoracic vertebrae

4. ✖ Ribs

Question Number : 99 Question Id : 630680391308 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The Breast cancer is found most frequently in the ____.

Options :

1. ✖ Upper inner quadrant

2. ✔ Upper outer quadrant

3. ✖ Lower inner quadrant

4. ✖ Lower outer quadrant

Question Number : 100 Question Id : 630680391309 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most common position of appendix is ____.

Options :

1. ✖ Pelvic

2. ✖ Postileal

3. ✔ Retrocecal

4. ✖ Paracaecal

Question Number : 101 Question Id : 630680391310 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: If an appendix mass is present, the standard treatment is Conservative Ochsner – Sherren regime

Reason: Surgery is indicated on increasing size of mass, Rising pulse rate, Spreading abdominal pain.

Options :

1. ✔ Both Assertion and Reason are TRUE, Reason is correct explanation for Assertion
2. ✖ Both Assertion and Reason are FALSE
3. ✖ Assertion is TRUE and Reason is FALSE
4. ✖ Assertion is FALSE and Reason is TRUE

Question Number : 102 Question Id : 630680391311 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most common site of bleeding from a peptic ulcer is ____.

Options :

1. ✖ Lesser curvature of stomach
2. ✖ Greater curvature of stomach
3. ✖ Pyloric antrum
4. ✔ Duodenum

Question Number : 103 Question Id : 630680391312 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The area most commonly affected in abdominal tuberculosis is ____.

Options :

1. ✖ Ascending colon
2. ✖ Duodenum
3. ✔ Ileocaecal region
4. ✖ Rectosigmoid region

Question Number : 104 Question Id : 630680391313 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The dynamic cause for intestinal obstruction among the following is ____.

Options :

1. ✖ Faecal impaction
2. ✖ Foreign bodies
3. ✖ Intussusception
4. ✔ Paralytic ileus

Question Number : 105 Question Id : 630680391314 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

If a male infant who is previously well classically presents with episodes of screaming and drawing up the legs, and on examination shows sausage – shaped lump with concavity towards the umbilicus, then the most probable diagnosis will be ____.

Options :

1. ✖ Faecal impaction
2. ✖ Malignancy
3. ✔ Intussusception
4. ✖ Volvulus

**Question Number : 106 Question Id : 630680391315 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

The most common subtypes of Renal Cell Carcinoma (RCC) with > 5% incidence includes ALL EXCEPT -

Options :

1. ✖ Clear cell carcinoma
2. ✔ Oncocytoma
3. ✖ Papillary renal cell carcinoma
4. ✖ Chromophobe renal cell carcinoma

**Question Number : 107 Question Id : 630680391316 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: Pain in Suprapubic region with visible, Palpable tender bladder that is dull to percussion are the common clinical features of acute retention of urine

Reason: Bladder outlet obstruction is the most common cause of acute retention of urine

Options :

1. ✖ Both Assertion and Reason are TRUE, Reason is not correct explanation for Assertion
2. ✖ Assertion is TRUE and Reason is FALSE
3. ✖ Assertion is FALSE and Reason is TRUE
4. ✔ Both Assertion and Reason are TRUE, Reason is correct explanation for Assertion

**Question Number : 108 Question Id : 630680391317 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

The most sufficient investigation for urologist to recommend treatment in a suspected case of Benign Prostatic Hypertrophy is _____.

Options :

1. ✖ Estimation of serum prostate specific antigen
2. ✔ A typical history and flow rate measurement
3. ✖ Upper tract imaging
4. ✖ Cystourethroscopy

Question Number : 109 Question Id : 630680391318 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The following characteristics are TRUE about FELTY'S SYNDROME.

Options :

1. ✔ Rheumatoid Arthritis, Splenomegaly and Leukopenia
2. ✖ Rheumatic fever, Splenomegaly and polyarthritis
3. ✖ Rheumatoid Arthritis, Splenomegaly and Leukocytosis
4. ✖ Leukemia, Splenomegaly and Hepatomegaly

Question Number : 110 Question Id : 630680391319 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

As per Tokyo consensus guidelines a patient with acute cholecystitis with no organ dysfunction and mild inflammatory changes in gall bladder, making cholecystectomy a safe and low risk operative procedure comes under _____.

Options :

1. ✔ Grade I (mild) Acute cholecystitis

2. ✖ Grade II (moderate) Acute cholecystitis
3. ✖ Grade III (severe) Acute cholecystitis
4. ✖ Nonspecific category

Question Number : 111 Question Id : 630680391320 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following feature about Cancer head of Pancreas are TRUE EXCEPT -

Options :

1. ✖ Ductal adenocarcinomas are the most common type
2. ✖ Jaundice secondary to obstruction of the distal bile duct is the most common symptom
3. ✖ Liver and peritoneal metastasis are common
4. ✔ At the time of presentation, more than 85 % of patients with ductal adenocarcinoma are suitable for resection

Question Number : 112 Question Id : 630680391321 Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The common paths to peritoneal infection includes ALL EXCEPT -

Options :

1. ✖ Gastrointestinal perforation
2. ✔ Hematogenous spread
3. ✖ Transmural translocation
4. ✖ Exogenous contamination

Question Number : 113 Question Id : 630680391322 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most common organisms in pyogenic liver abscess are _____.

Options :

1. ✖ Streptococcus milleri and Streptococcus faecalis
2. ✖ Streptococcus milleri and Klebsiella
3. ✔ Streptococcus milleri and Escherichia coli
4. ✖ Klebsiella and Proteus vulgaris

Question Number : 114 Question Id : 630680391323 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most common bile leak following the Cholecystectomy is from the _____.

Options :

1. ✖ Common Hepatic duct
2. ✖ Right Hepatic duct
3. ✔ Cystic duct
4. ✖ Common bile duct

Question Number : 115 Question Id : 630680391324 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Match the following regarding types of Hernia.

I. Occult	a. A swelling that appears & disappears
II. Reducible	b. Contents become gangrenous
III. Strangulated	c. Not detectable clinically
IV. Infarcted	d. Painful swelling with vascular compromise

Options :

1. ✖ I - a; II - b; III - c; IV - d

2. ✖ I - b; II - c; III - d; IV - a

3. ✔ I - c; II - a; III - d; IV - b

4. ✖ I - c; II - b; III - a; IV - d

Question Number : 116 Question Id : 630680391325 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Lichtenstein's repair of Inguinal hernia belongs to the type

Options :

1. ✖ Open suture repair

2. ✔ Open flat mesh repair

3. ✖ Open complex mesh repair

4. ✖ Open preperitoneal repair

Question Number : 117 Question Id : 630680391326 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The type of hernia that is acquired, due to weakening of the abdominal wall and occurs at the deep Inguinal ring lateral to the Inferior Epigastric vessels (I. E) is known as _____.

Options :

1. ✖ Indirect Inguinal hernia
2. ✖ Direct Inguinal hernia
3. ✔ Sliding Inguinal hernia
4. ✖ Oblique Inguinal hernia

Question Number : 118 Question Id : 630680391327 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

As per the Salter – Harris classification of growth plate injury, if the fracture line is simple just involving the physis and seldom affects growth, then it belongs to _____.

Options :

1. ✔ Type I
2. ✖ Type II
3. ✖ Type III
4. ✖ Type IV

Question Number : 119 Question Id : 630680391328 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

If a 35-year-old male presents with low back pain, lower limb motor weakness, saddle anesthesia, bladder dysfunction, sexual and bowel dysfunction, the most probable diagnosis will be _____.

Options :

1. ✖ Disc prolapse at L₄ / L₅ level
2. ✖ Spinal stenosis
3. ✔ Cauda equina syndrome
4. ✖ Thoracic disc herniation

**Question Number : 120 Question Id : 630680391329 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

As per Wiltsee classification of Spondylolisthesis, segmental instability due to disc degeneration comes under _____.

Options :

1. ✖ Type 1
2. ✖ Type 2
3. ✔ Type 3
4. ✖ Type 4

**Question Number : 121 Question Id : 630680391330 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

In a patient suffering from intervertebral disc prolapse if the disc material herniates through annulus and has no contact with the disc, then it belongs to the stage _____.

Options :

1. ✖ Bulge
2. ✖ Protrusion
3. ✖ Extrusion
4. ✔ Sequestration

**Question Number : 122 Question Id : 630680391331 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

Pregnancy test is positive if there is no agglutination in case of _____.

Options :

1. ✖ Direct Latex agglutination test
2. ✔ Agglutination inhibition test
3. ✖ Enzyme - linked immunosorbent assay (ELISA)
4. ✖ Fluoroimmunoassay (FIA)

Question Number : 123 Question Id : 630680391332 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The most conclusive clinical sign of pregnancy is _____.

Options :

1. ✖ Fundal height midway between symphysis pubis and umbilicus
2. ✖ Evident Braxton – Hicks contractions
3. ✔ Auscultation of fetal Heart Sound (FHS) with a stethoscope between 18 and 20 weeks
4. ✖ Feeling the active fetal movements

Question Number : 124 Question Id : 630680391333 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The features suggestive of HELLP SYNDROME includes :

Options :

1. ✖ Elevated lipid levels, Macrocytic anemia, low platelet count
2. ✖ Elevated liver enzymes, Microcytic anemia, Elevated lipid levels
3. ✔ Microangiopathic hemolytic anemia, Elevated liver enzymes, low platelet count
4. ✖ Elevated liver enzymes, Leukocytosis, Polycythemia

Question Number : 125 Question Id : 630680391334 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The modified Brandt – Andrew's method is employed for _____.

Options :

1. ✓ Controlled cord traction
2. ✗ Applying fundal pressure
3. ✗ Delivery of head
4. ✗ Clamping and ligature of the cord

Question Number : 126 Question Id : 630680391335 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The commonest cause of postpartum hemorrhage is _____.

Options :

1. ✓ Atonic uterus
2. ✗ Traumatic
3. ✗ Retained tissue
4. ✗ Blood coagulopathy

Question Number : 127 Question Id : 630680391336 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

Match the following.

I. LBW infant	a. Birth weight less than 1500 g
II. VLBW infant	b. Birth before 37 weeks of gestation
III. Preterm	c. Birth weight below 10 th percentile
IV. SGA (Small for gestational age)	d. Birth weight < 2500 g

Options :

1. ✖ I - d; II - c; III - b; IV - a

2. ✔ I - d; II - a; III - b; IV - c

3. ✖ I - a; II - b; III - c; IV - d

4. ✖ I - b; II - a; III - d; IV - c

Question Number : 128 Question Id : 630680391337 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following features are found in a newborn of gestational age < 36 weeks EXCEPT -

Options :

1. ✖ Breast nodule – 2mm

2. ✖ Scalp hair is fine, wooly, fuzzy

3. ✔ Earlobe shows moderate amount of cartilage

4. ✖ Testes partially descended

Question Number : 129 Question Id : 630680391338 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The commonest causative organism of Ophthalmia Neonatorum is ____.

Options :

1.

✖ N. Gonorrhea

2. ✖ Staph. Aureus

3. ✔ Chlamydia trachomatis

4. ✖ Strep. Viridans

Question Number : 130 Question Id : 630680391339 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following FACTS about APGAR SCORE in a Newborn are TRUE EXCEPT -

Options :

1. ✖ It is an objective method of evaluating Newborn's condition

2. ✖ It is generally performed at 1 min and again at 5 mins after birth

3. ✔ It is a very useful guide for resuscitation

4. ✖ Includes estimates on HR, Respiration, Muscle tone, color

Question Number : 131 Question Id : 630680391340 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following are RISK FACTORS for Pre-Eclampsia EXCEPT -

Options :

1. ✔ Multigravida

2. ✖ Elderly Primigravida

3. ✖ Obesity ≥ 35 Kg / m²

4. ✖ Family History of Hypertension

Question Number : 132 Question Id : 630680391341 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The fall in level of Hemoglobin and hematocrit during pregnancy returns to normal at :

Options :

1. ✖ Last trimester of pregnancy
2. ✖ Immediately after delivery
3. ✖ Within 7 days of delivery
4. ✔ Within 6 weeks after delivery

Question Number : 133 Question Id : 630680391342 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The risk periods in cases of anemia during pregnancy includes ALL EXCEPT -

Options :

1. ✔ At about 20 – 24 weeks of pregnancy
2. ✖ During labor
3. ✖ Immediately following delivery
4. ✖ Anytime in puerperium especially 7 – 10 days following delivery

Question Number : 134 Question Id : 630680391343 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The ionized copper in copper containing IUCDS prevent fertilization by ____.

Options :

1. ✖ Causing histological changes in endometrium
2. ✖ Increasing tubal motility

3. ✖ Increasing Endometrial inflammatory response

4. ✔ Preventing blastocyst implantation through enzymatic interference

Question Number : 135 Question Id : 630680391344 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following are TRUE regarding Progestogen only pill (POP) EXCEPT -

Options :

1. ✖ It has to be taken daily from the first day of cycle

2. ✖ It works mainly by making cervical mucus thick and viscous

3. ✖ It causes atrophy of endometrium, so blastocyst implantation

4. ✔ It causes inhibition of ovulation in all women (cases)

Question Number : 136 Question Id : 630680391345 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

A patient after vasectomy should be advised to use an additional contraceptive for at least ____.

Options :

1. ✖ 3 – 4 days

2. ✖ 3 – 4 weeks

3. ✔ 3 – 4 months

4. ✖ 3 – 4 years

Question Number : 137 Question Id : 630680391346 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following methods are recommended for MTP in first trimester EXCEPT -

Options :

1. ✖ Drugs mifepristone and misoprostol
2. ✔ Hysterotomy
3. ✖ Menstrual regulation
4. ✖ Dilatation and Evacuation

**Question Number : 138 Question Id : 630680391347 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

While doing MTP, Opinion of two medical practitioners is required if pregnancy exceeds :

Options :

1. ✖ 4 weeks
2. ✖ 8 weeks
3. ✖ 10 weeks
4. ✔ 12 weeks

**Question Number : 139 Question Id : 630680391348 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

While doing MTP by Intrauterine instillation of Hypertonic solution, the induction – abortion interval is ____.

Options :

1. ✖ 12 hours
2. ✖ 24 hours
3. ✔ 32 hours

4. ✖ 48 hours

**Question Number : 140 Question Id : 630680391349 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

Select the option that is true regarding the following two statements labelled Assertion and Reason.

Assertion: Hysterotomy should be performed in persons with Repeated scarred uterus with placenta accreta

Reason: The operation should be combined with sterilization operation

Options :

1. ✖ Both Assertion and Reason are FALSE
2. ✖ Both Assertion and Reason are TRUE and Reason is not a correct explanation for Assertion
3. ✔ Both Assertion and Reason are TRUE and Reason is a correct explanation for Assertion
4. ✖ Assertion is TRUE and Reason is FALSE

**Question Number : 141 Question Id : 630680391350 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0**

Correct Marks : 2 Wrong Marks : 0.66

The time schedule for uterine curettage in a female suffering from cyclic Menorrhagia is

Options :

1. ✖ Soon after the period starts
2. ✔ 5 – 6 days prior to period
3. ✖ 5 – 6 days after the period
4. ✖ Anytime

Question Number : 142 Question Id : 630680391351 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

All of the following features are TRUE about cervical Ectopy EXCEPT -

Options :

1. ✖ It is a condition where the squamous epithelium of the ectocervix is replaced by columnar epithelium
2. ✖ After birth, the condition persists only for a few days until the level of oestrogen derived from the mother falls
3. ✔ This state is observed even after 9 months following delivery
4. ✖ All the cases should be subjected to cytological examination from the cervical smear to exclude dysplasia

Question Number : 143 Question Id : 630680391352 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

As per FIGO staging of carcinoma of the cervix uteri "If the carcinoma invades beyond the uterus, but has not extended onto the lower third of the vagina or to the pelvic wall – then it belongs to ____.

Options :

1. ✖ Stage I
2. ✔ Stage II
3. ✖ Stage III
4. ✖ Stage IV

Question Number : 144 Question Id : 630680391353 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The secondary prevention program among the following in prevention of CA cervix is ____.

Options :

1. ✖ Identifying “high risk” women
2. ✖ Prophylactic HPV vaccine
3. ✖ Use of condom
4. ✔ Screening and identifying precancerous lesions

**Question Number : 145 Question Id : 630680391354 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

All of the following FACTS are TRUE regarding antenatal visits of a pregnant mother to clinic EXCEPT -

Options :

1. ✖ The first visit to be done preferably as soon as the pregnancy is suspected
2. ✖ Registration of pregnancy to be done within 12 weeks
3. ✔ The mother should visit the antenatal clinics at least once a month during antenatal period
4. ✖ During each visit record the baseline information on Blood pressure, Weight, Hemoglobin, Fundal Height etc.

**Question Number : 146 Question Id : 630680391355 Is Question Mandatory : No Calculator :
None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 2 Wrong Marks : 0.66**

The indices that are useful for evaluating the impact of National Family Welfare Programmes include ALL EXCEPT -

Options :

1. ✖ Family size
2. ✖ Age of mother at birth of first child

3. ✔ Life expectancy after birth

4. ✘ Number of abortions

Question Number : 147 Question Id : 630680391356 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The basic criteria for identification of "At risk" infants includes ALL EXCEPT -

Options :

1. ✘ Birth weight less than 2.5 Kg

2. ✔ Birth order 3 and more

3. ✘ Twins

4. ✘ Working mother

Question Number : 148 Question Id : 630680391357 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The additional caloric requirement for the lactating mother for the first 6 months after delivery is _____.

Options :

1. ✘ 350 kcal/ day

2. ✘ 450 kcal/ day

3. ✔ 600 kcal/ day

4. ✘ 1000 kcal/ day

Question Number : 149 Question Id : 630680391358 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The number of live births per 1000 married women in the reproductive age group in a given year is known as ____.

Options :

1. ✖ Birth rate
2. ✔ General marital fertility rate (GMFR)
3. ✖ General fertility rate (GFR)
4. ✖ Age specific fertility rate

Question Number : 150 Question Id : 630680391359 Is Question Mandatory : No Calculator :

None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 2 Wrong Marks : 0.66

The vaccine that requires mandatory postponement of pregnancy for at least 2 months following injection is ____.

Options :

1. ✖ Tetanus toxoid
2. ✖ Hepatitis B
3. ✔ Live attenuated rubella virus
4. ✖ Anti - D